

1. Identification

Product Code CN3502-54

Product Name **NICKEL (II) OXIDE
BLACK T**

CAS Number 1313-99-1


Supplier:  **BEECROFT & PARTNERS**
Northfield Road
Rotherham
South Yorkshire

Phone 01709-377881
Fax 01709-369264

Emergency Telephone 08:30-1700 01709-377881
24hr 112
(Have this document to hand)

2. Composition

Component	CAS No	EEC No	Conc w/w	Classification & Risk Phrases	Exp (See 8.1)
Nickel compounds, inorganic,			> 77.0%	T : R20/21/22 :Carc.Cat 3	MEL

3. Hazards Identification

May cause cancer by inhalation. May cause sensitisation by skin contact. May cause long term adverse effects in the aquatic environment. Carcinogen category: 3

4. First Aid Measures

Eyes Irrigate thoroughly with plenty of water for at least 10 minutes, holding the eye open. If discomfort persists OBTAIN MEDICAL ATTENTION.

Skin Remove contaminated clothing immediately and wash before re-use. Thoroughly wash off skin with soap and water. If discomfort persists OBTAIN MEDICAL ATTENTION.

Inhalation Remove from exposure.

Ingestion Wash out the patients mouth thoroughly with water. OBTAIN MEDICAL ATTENTION URGENTLY.

5. Fire Fighting Measures

Hazards Evacuate area immediately. Keep up wind. Avoid exposure to toxic vapours and fumes. Fire-fighters should wear protective clothing and breathing apparatus. May evolve toxic fumes if involved in a fire.

Extinguishing Media Consider what other flammable materials are present and act accordingly.

Unsuitable Media Nothing specified.

6. Accidental Release Measures

Personal Protection Evacuate area immediately. Avoid breathing dust-wear respiratory protective equipment. Do not allow general use of area until it is safe to do so.

Enviromental Notify the Environmental Agency and local Environmental Health Officer if major spillage occurs.

6. Accidental Release Measures (continued)

Major Spillage	Vacuum up into container for removal. Carefully remove material from vacuum cleaner and transfer to sealable container for disposal. Carry out this operation under fume extraction. Wash area down with copious amounts of water.
Minor Spillage	Wash area down with copious amounts of water.

7. Storage & Handling

Handling Precautions	Avoid contact with skin and eyes. Do not breath dust. Do not allow to contaminate clothing. Ensure Local Exhaust Ventilation maintains dust concentrations below the recommended limits.
Storage Conditions	Well ventilated, cool, dry storage .

8.1 Occupational Exposure Limits

Component	CAS No	Occupational Exposure Standard				Maximum Exposure Limits			
		Long Term		Short Term		Long Term		Short Term	
		ppm	mg m-3	ppm	mg m-3	ppm	mg m-3	ppm	mg m-3
Nickel compounds, inorganic,		-	-	-	-	-	0.1000	-	-

8.2 Personal Protection

Respiratory	If process creates significant amounts of dust use L.E.V. or wear suitable dust mask.
Hands	Use nitrile gloves or PVC gauntlets.
Eyes	Use chemical splash proof glasses or goggles.
Skin	Avoid contact with skin. If skin contact or contamination of clothing is likely, protective clothing must be worn.

9. Physical & Chemical Properties

Appearance	Grey to green black powder.
Odour	Odourless.
pH	Not available
Boiling point	Not available
Melting point	1684.0 °C
Flash point	Not available
Upper Flammable Limit	Not available
Lower Flammable Limit	Not available
Auto Ignition	Not available
Explosive properties	No.
Oxidising Properties	No.
Vapour Pressure	Not available
Relative Density	Not available
Water Solubility	Insoluble in water.

10. Stability & Reactivity

Chemical Stability	Stable under normal conditions
Conditions to Avoid	No specific conditions.
Materials to Avoid	No specific materials to avoid.
Hazardous Decomposition Products	Will decompose to emit fumes of nickel/ nickel oxide and irritant fumes of hydrogen chloride.

11. Toxicological Information

Eyes	Contact with the solid or dust will be irritating to the eyes.
Skin	Contact with the solid or dust will be irritating to the skin. May cause skin sensitisation.

11. Toxicological Information (continued)

LD50 Skin	Not available
Ingest	Ingestion may cause gastrointestinal irritation.
LD50 Ingest	Not available
Inhalation	Prolonged exposure to dust or fume concentrations above the occupational exposure limits may produce irritation of the eyes, nose, throat and respiratory tract.
Carcinogenicity	Carcinogen - category 3. It is suspected as a long term carcinogen in man but evidence is inconclusive.
Mutagenicity	Not considered to be a mutagen.
Reproductive Effects	No information is available.

12. Ecological

Nickel salts are harmful to the environment.

13. Disposal Considerations

Disposal Methods	Dissolve in water and adjust pH to 7, then precipitate out as the sulphide. Filter off the insoluble material and dispose of at a licensed land-fill site. Destroy excess sulphide with sodium hypochlorite, neutralise the solution and wash to drain with copious amounts of water.
Contaminated Packaging	Use a licensed waste disposer.

14. Transport Information


Proper Shipping Name	Non-restricted
UN Number	Non-restricted
UN Classification	None
Subsidiary Risk	None
Flash Point	Not available
Packing Group	None
Marine pollutant	No
ADR Hazard ID	Non-restricted

15. Regulatory Information

Labelling	Toxic.
Classification	

Label Symbols

T



Risk & safety Phrases	May cause cancer by inhalation. May cause sensitisation by skin contact. May cause long term adverse effects in the aquatic environment. Avoid exposure - obtain special instruction before use. In case of accident or if you feel unwell, seek medical advice immediately (show the label). Avoid release to the environment, refer to special instructions/safety data sheet. Carcinogen category: 3
EEC Number	215-215-7

16. Other Information

Document Information	This document has been prepared in accordance with directive 88/379/EEC. The information contained in this document only covers the hazards presented by this material, it DOES NOT constitute a workplace risk assessment.
----------------------	--

16. Other Information (continued)

Revision Date: 19/12/02.

Data reviewed and PDF file generated: 07/06/04.

Copyright 2004 Beecroft & Partners.